KELVEEN Floor luminaire

FLOOR AND TABLE LUMINAIRES
READING AND WORKING IN THE RIGHT LIGHT.

Floor and table luminaires from OLIGO are characterised by their versatile design and their technically virtuoso functionality. As graceful companions, they complete interior design, are always on hand and provide optimal light for reading or working.

Brightness, brilliance and colour reproduction are as important here as the ability to direct the light flexibly. Refined practical details like touch dimmers or gesture control allow for optimal usability within reach.

CONTENTS PAGE

Lighting control	200
Floor and table luminaires	203
Lamps	227

FLOOR AND TABLE LUMINAIRES
CONTROL THE LIGHT CONVENIENTLY.

Energy efficiency, maximum flexibility, no visible cables as far as possible and intelligent sensor technology characterises modern lighting in living space and property. Table and floor luminaires from OLIGO can be intuitively switched and dimmed in a wide variety of ways.



GESTURE CONTROL

A subtle hand movement is enough to control the light. Touchless gesture control makes switching and dimming luminaires an almost magical experience and underlines the high level of innovation in OLIGO luminaires.

Within a detection area of 10 centimetres, a sensor detects the direction of movement and position of the hand. The luminaire can be switched on or off using a hand movement near the sensor. If the hand lingers over the sensor for a longer time, the dimmer function is activated.



DIMMER SWITCH

A subtle button, skilfully integrated into the lighting design, serves as a functional control element. Mounted in a readily accessible position and easy to operate, dimmer switches allow for continuous dimming and switching of the luminaires.

A short press of the button turns the luminaires on and off. If you hold the dimmer button pressed for a longer time, the luminaires dim continuously up and down. The integrated memory function recalls the last selected dimming level when the luminaires are turned on.



TOUCH DIMMER

With this intuitive form of light control, the brightness of the luminaire is controlled simply by touching the sensor surface or the luminaire housing.

Switching on and off is done with a brief touch, continuous dimming is done by leaving your hand on the sensor surface for longer. The slightest difference in potential between the luminaire and the person touching it leads to a switching action. The integrated memory function recalls the last selected dimming level when the luminaires are turned on.



LIGHT STICK

The Light Stick on the KUULA table luminaire is a form of rotary dimmer which is intuitive to use. A quick turn to the left or right turns the light on or off. If you hold the Light stick in one direction or the other for a few seconds then the luminaire dims up or down accordingly.

The integrated memory function ensures that the last brightness used is called up again when the lamp is switched back on.

GRACE

FLOOR AND TABLE LUMINAIRES
OVERVIEW

LED LUMINAIRES

KELVEEN
Page 207

GRACE
Page 211

TRINITY
Page 215

A LITTLE BIT
Page 219

TROFEO
Page 221



KUULA
Page 223

JUST A LITTLE
Page 225

LUMINAIRES WITH CONVENTIONAL FITTINGS

GRACE
Page 213

KELVEEN

KELVEEN Tischleuchte

KELVEEN Reading luminiare

KELVEEN

LED, New: Reading luminaire

The KELVEEN table and floor luminaires combine high performance LED technology with lighting comfort and aesthetics. State-of-the-art optical components and a continuously dimmable 1,000 lumen create the best visual comfort in the workplace. Ball joints in the base and shade of the luminaires ensure easy adjustment. No visible cables disrupt the minimalist look since the power supply runs through the luminaire arm. The table luminaire can be controlled conveniently via a dimmer switch on the pole, while the reading luminaire and floor luminaire are equipped with a touch dimmer. The table luminaire won the German Design Award.

Design: OLIGO

Luminaire family Page 79

DIMMER SWITCH · TOUCH DIMMER · LED INTEGRATED

FEATURES

Table luminaire, Reading luminaire or Floor luminaire
Adjustable on multiple axes
Glass lense 90°
3,0 m cable
Protection class 2

Lighting control and dimming
Table luminaire: Dimmer switch
Reading luminaire / Floor luminaire: Touch dimmer
Memory function

Output data
100-240 V / 50-60 Hz / 24 V DC / LED / 2700 or 3000 K / 1000 lm / 15,8 W / CRI >90
Energy efficiency class: A

Material
Metal, glass

TECHNICAL INFORMATION

Table luminaire



Reading luminaire



Floor luminaire



Light distribution
See page 250

COLOURS

Matt white

Graphite

Matt black

PRODUCT

Type	lm	K	W	CRI	EEC	Colour	Table luminaire	Reading luminaire	Floor luminaire
LED	1000	2700	15,8	>90	A	Matt white	45-869-11-21	T44-869-21-21	T44-869-11-21
						Graphite	45-869-11-11	T44-869-21-11	T44-869-11-11
						Matt black	45-869-11-23	T44-869-21-23	T44-869-11-23
LED	1000	3000	15,8	>90	A	Matt white	45-869-10-21	T44-869-20-21	T44-869-10-21
						Graphite	45-869-10-11	T44-869-20-11	T44-869-10-11
						Matt black	45-869-10-23	T44-869-20-23	T44-869-10-23

GRACE

GRACE

GRACE

LED

Timeless GRACE numbers among the classics of decorative luminaires worldwide. The floor or table luminaire model is superbly suited to showcase seating areas, consoles or side tables. The two lenticular, satin finished shades are surrounded by a circular luminaire head and ensure even, glare-free illumination. Floor and table luminaires can be dimmed using the innovative, touchless gesture control. The luminaire family also includes wall and pendant luminaires in the same design.

Design: Ralf Keferstein,
Reworking into floor / table luminaire: OLIGO



Luminaire family Page 47 Page 51 Page 126 Page 129

GESTURE CONTROL LED INTEGRATED

PLUS X AWARD achieved for: Innovation Ease of Use

FEATURES

Table luminaire / floor luminaire
Uplight / downlight
3.0 m cable
Protection class 2

Lighting control and dimming
Gesture control
Memory function

Output data
100-240 V AC / 50-60 Hz / 24 V DC / LED / 2700 K / 1300 lm / 18 W / CRI >80 / Energy efficiency class: A

Material
Metal, glass, acrylic glass

TECHNICAL INFORMATION



Light distribution
See page 250

COLOURS

Chrome | Brushed Aluminium | Matt gold | Bright white

Satin copper | Brazilian brown | Espresso | Purple grey

PRODUCT

LED table luminaire with gesture control

Type	lm	K	W	EEC	Colour	Rod colour	Item number
LED	1300	2700	18	A	Chrome	Chrome	G45-931-10-05
					Brushed alum.	Chrome	G45-931-10-12
					Matt gold	Black	G45-931-10-09
					Bright white	Chrome	G45-931-10-20
					Satin copper	Chrome	G45-931-10-15
					Brazilian brown	Chrome	G45-931-10-41
					Espresso	Chrome	G45-931-10-48
					Purple grey	Chrome	G45-931-10-49

PRODUCT

LED floor luminaire with gesture control

Type	lm	K	W	EEC	Colour	Rod colour	Item number
LED	1300	2700	18	A	Chrome	Chrome	G44-931-10-05
					Brushed alum.	Chrome	G44-931-10-12
					Matt gold	Black	G44-931-10-09
					Bright white	Chrome	G44-931-10-20
					Satin copper	Chrome	G44-931-10-15
					Brazilian brown	Chrome	G44-931-10-41
					Espresso	Chrome	G44-931-10-48
					Purple grey	Chrome	G44-931-10-49



GRACE

GRACE

Halogen



Timeless GRACE numbers among the classics of decorative luminaires worldwide. The floor or table luminaire model is superbly suited to showcase seating areas, consoles or side tables. The two lenticular, satin finished shades are surrounded by a circular luminaire head and ensure even, glare-free illumination. Floor and table luminaires can be controlled using a touch dimmer. The luminaire family also includes wall and pendant luminaires in the same design.

Design: Ralf Keferstein,
Reworking into floor / table luminaire: OLIGO

Luminaire family Page 48 Page 53 Page 131 Page 133

TOUCH DIMMER

FEATURES

Table luminaire / floor luminaire
Uplight / downlight
2.0 m cable
Protection class 2

Lighting control and dimming
Touch dimmer
Memory function

Output data
230 V / 50-60 Hz / 12 V / GY 6,35 / QT-LP 12 / max. 50 W
Energy efficiency class: A++ bis C

Material
Metal, glass, acrylic glass

TECHNICAL INFORMATION



COLOURS

Chrome | Brushed Aluminium | Matt gold | Bright white

PRODUCT

Table luminaire with touch dimmer

Type	W	Colour	Rod colour	Item number
12 V halogen	max. 50	Chrome	Chrome	T45-931-10-05
		Brushed aluminium	Chrome	T45-931-10-12
		Matt gold	Black	T45-931-10-09
		Bright white	Chrome	T45-931-10-20

Lamps from page 229

PRODUCT

Floor luminaire with touch dimmer

Type	W	Colour	Rod colour	Item number
12 V halogen	max. 50	Chrome	Chrome	T44-931-10-05
		Brushed aluminium	Chrome	T44-931-10-12
		Matt gold	Black	T44-931-10-09
		Bright white	Chrome	T44-931-10-20

Lamps from page 229

TRINITY

TRINITY

LED

The head of the TRINITY LED luminaire family comprises three segments which can be rotated separately from one another. The luminaire can be switched and dimmed using a button on the upper side of the head. The TRINITY LED luminaire family has been awarded multiple design prizes and also includes pendant and wall luminaires.

Design: EsserKnop Industriedesigner



Luminaire family Page 61 Page 159

DIMMER SWITCH LED INTEGRATED

German Design Award SPECIAL MENTION

interior innovation award 2012 Winner

Leuchte des Jahres 2011 2.Platz 2nd place

FEATURES

Table luminaire / floor luminaire
Light segments can be rotated 320° independently from one another, and are switchable and dimmable
3.0 m cable
Protection class 2

Lighting control and dimming
Integrated dimmer switch
Memory function

Output data
100-240 V / 50-60 Hz / 24 V DC / LED / 2700 K / 1950 lm / 27 W / CRI >80
Energy efficiency class: A+

Material
Metal, acrylic glass

TECHNICAL INFORMATION





Light distribution
See page 250

COLOURS

Chrome matt

Graphite

PRODUCT
Table luminaire

Type	lm	K	W	Colour	Item number
LED	1950	2700	27	Matt chrome	45-896-10-06
				Graphite	45-896-10-11

PRODUCT
Floor luminaire

Type	lm	K	W	Colour	Item number
LED	1950	2700	27	Matt chrome	44-896-10-06
				Graphite	44-896-10-11

A LITTLE BIT

A LITTLE BIT

A LITTLE BIT

LED

The A LITTLE BIT LED floor and table luminaire is a flexible lighting solution in a slim format. The elegant luminaire head made from aluminium integrates a glass lens which can be focused between 20° and 60°. For harmonious light distribution, the high quality lens body has been finished separately with a texture on the inside. A dimmer button on the rear of the head allows for continuous adjustment of the brightness. It is saved using a memory function and is also retained after disconnection from the power supply. The flexible arm allows the luminaire head to be angled however you like. A LITTLE BIT is also available as a luminaire for wall mounting.

Design: OLIGO



Luminaire family Page 63

DIMMER SWITCH LED INTEGRATED

FEATURES

Table luminaire / floor luminaire
Focusable light output 20°-60°
Flexible arm
3.0 m cable
Protection class 2

Lighting control and dimming
Dimmer switch
Memory function

Output data
100-240 V / 50-60 Hz / 24 V DC / LED / 3000 K / 550 lm / 9 W / 20 - 60° / CRI >90
Energy efficiency class: A

Material
Metal, textile cover

TECHNICAL INFORMATION



Alternative light colour
2700 K on request

COLOURS

Chrome

Matt chrome

PRODUCT

Table luminaire

Type	lm	K	W	EEC	Head colour	Item number
LED	550	3000	9	A	Chrome	45-898-23-23
					Chrome matt	45-898-24-23

PRODUCT

Floor luminaire

Type	lm	K	W	EEC	Head colour	Item number
LED	550	3000	9	A	Chrome	44-898-23-23
					Chrome matt	44-898-24-23

TROFEO

TROFEO

LED



The TROFEO LED luminaire family stands out with sleek elegance and an excellent light scene. The LED modules, specifically designed for the luminaire, generate a warm white, evenly distributed light, refined through an elaborately coordinated prismatic lens. The unique light effect shows to particularly good advantage in the design finished with a leaf gold look. A switch on the luminaire pole enables easy switching and dimming. A second switch activates three different light modes. TROFEO is equally suitable for use in living spaces and for challenging property and is also available as an LED ceiling luminaire or pendant luminaire.

Design: OLIGO

Luminaire family Page 95 Page 155

DIMMER SWITCH LED INTEGRATED

FEATURES

Floor luminaire
Uplight / downlight
2.0 m cable
Protection class 2

Lighting control and dimming
Bottom switch: Switching and dimming
Top switch: Different light emission types, up/down (3 modes)
Memory function

Output data
100-240 V / 50-60 Hz / 24 V DC / LED / 2700 K / 1900 lm / 26.2 W / CRI >80
Energy efficiency class: A+

Material
Metal, acrylic glass

TECHNICAL INFORMATION

Light distribution
See page 250

COLOURS

Matt white (Creme, RAL 9001) | Matt grey | Matt black / Gold-leaf | Matt red

PRODUCT

Type	lm	K	W	EEC	Colour	Item number
LED	1900	2700	26.2	A+	Matt white **	44-886-14-21
					Matt grey	44-886-13-45
					Matt black / Gold-leaf	44-886-10-23
					Matt red	44-886-12-25
					Champagne	44-886-15-42

** Creme, RAL 9001

KUULA

KUULA

LED

Together with the furniture manufacturer Thonet, OLIGO presents a luminaire which is characterised by an elegant and minimalistic design. The ball-shaped, hand-blown glass head on the graceful aluminium base is reminiscent of northern European windowsill luminaires and at the same time emits an aura of timeless Bauhaus design. The KUULA table luminaire is equipped with state-of-the-art lighting technology: with a considerable light output of 1,150 lumen, the energy-efficient LED ensures pleasant room lighting with warm white light. With the light stick on the base, the luminaire can be switched and dimmed playfully.

Design: Uli Budde

LIGHT STICK DIMMER

LED INTEGRATED

FEATURES

Table luminaire
3.0 m cable
Protection class 2

Lighting control and dimming
Integrated rotary dimmer
Memory function

Output data
100-240 V / 50-60 Hz / 24 V DC / LED / 1150 lm / 13,4 W / CRI >80
Energy efficiency class: A+

Variants:
2700 K / 3000 K

Material
Metal, glass

TECHNICAL INFORMATION



Light distribution
See page 250

COLOURS

Matt white

Matt black

PRODUCT

Type	lm	K	W	EEC	Colour	Item number
LED	1150	2700	13,4	A+	Matt white	45-863-12-21
					Matt black	45-863-12-23
LED	1150	3000	13,4	A+	Matt white	45-863-10-21
					Matt black	45-863-10-23

JUST A LITTLE

JUST A LITTLE

LED

The delicate and efficient JUST A LITTLE LED table luminaire is suitable for living spaces as well as for challenging projects. The flexible metal tube and the very even light scene make JUST A LITTLE a multi-functional and modern light source. It is also available in a variety of models as a decorative wall luminaire.

Design: OLIGO

Luminaire family Page 67

LED
INTEGRATED

FEATURES

Table luminaire
Flexible arm
Glass lens
1.5 m cable with switch
Non-dimmable
Protection class 2

Output data
240 V AC / 50 Hz / LED / 3000 K / 250 lm / 4 W / CRI >90
Energy efficiency class: A

Material
Metal

TECHNICAL INFORMATION



Alternative light colour
2700 K on request

PRODUCT

Type	lm	K	W	EEC	CRI	Item number
LED	250	3000	4	A	>90	45-893-11-12